

5. Referenties

1. J. A. & N., N. Recurrent abdominal pains: a field survey of 1,000 school children. *Arch Dis Child* **33**, 165–70 (1958).
2. Rasquin-Weber, A. *et al.* Childhood functional gastrointestinal disorders. *Gut* **45 Suppl 2**, II60-8 (1999).
3. Hyams, J. S. *et al.* Childhood functional gastrointestinal disorders: Child/adolescent. *Gastroenterology* **150**, 1456-1468e2 (2016).
4. Lewis, M. L., Palsson, O. S., Whitehead, W. E. & van Tilburg, M. A. L. Prevalence of Functional Gastrointestinal Disorders in Children and Adolescents. *J. Pediatr.* **177**, 39-43.e3 (2016).
5. Robin, S. G. *et al.* Prevalence of Pediatric Functional Gastrointestinal Disorders Utilizing the Rome IV Criteria. *J. Pediatr.* **195**, 134–139 (2018).
6. Chitkara, D., Rawat, D. & Talley, N. The epidemiology of childhood recurrent abdominal pain in Western countries: a systematic review. *Am. J. Gastroenterol.* **100**, 1868–75 (2005).
7. Starfield, B. *et al.* Psychosocial and psychosomatic diagnoses in primary care of children. *Pediatrics* **66**, 159–67 (1980).
8. Apley, J. & Naish, N. Recurrent abdominal pains: a field survey of 1,000 school children. *Arch. Dis. Child.* **33**, 165–70 (1958).
9. Youssef, N. N., Murphy, T. G., Langseder, A. L. & Rosh, J. R. Quality of Life for Children With Functional Abdominal Pain: A Comparison Study of Patients' and Parents' Perceptions. *Pediatrics* **117**, 54–59 (2006).
10. Rutten, J., Benninga, M. & Vlieger, A. IBS and FAPS in children: a comparison of psychological and clinical characteristics. *J. Pediatr. Gastroenterol. Nutr.* **59**, 493–9 (2014).
11. Hoekman, D. R., Rutten, J. M. T. M., Vlieger, A. M., Benninga, M. A. & Dijkgraaf, M. G. W. Annual Costs of Care for Pediatric Irritable Bowel Syndrome, Functional Abdominal Pain, and Functional Abdominal Pain Syndrome. *J. Pediatr.* **167**, 1103-1108.e2 (2015).
12. Youssef, N. N., Atienza, K., Langseder, A. L. & Strauss, R. S. Chronic Abdominal Pain and Depressive Symptoms: Analysis of the National Longitudinal Study of Adolescent Health. *Clin. Gastroenterol. Hepatol.* **6**, 329–332 (2008).
13. Shelby, G. D. *et al.* Functional Abdominal Pain in Childhood and Long-term Vulnerability to Anxiety Disorders. *Pediatrics* **132**, 475–482 (2013).
14. Offringa, M., Assendelft, W. & Scholten, R. *Inleiding in evidence-based medicine*. (Bohn, Stafleu van Loghum, 2004).
15. Drossman, D., Camilleri, M., Mayer, E. & Whitehead, W. AGA technical review on irritable bowel syndrome. *Gastroenterology* **123**, 2108–31 (2002).
16. Di Lorenzo, C. *et al.* Visceral hyperalgesia in children with functional abdominal pain. *J. Pediatr.* **139**, 838–43 (2001).
17. Mayer, E. & Tillisch, K. The brain-gut axis in abdominal pain syndromes. *Annu. Rev. Med.* **62**, 381–96 (2011).
18. van Tilburg, M. *et al.* Unexplained gastrointestinal symptoms after abuse in a prospective study of children at risk for abuse and neglect. *Ann Fam Med* **8**, 134–40 (2010).
19. Fekkes, M., Pijpers, F., Fredriks, A., Vogels, T. & Verloove-Vanhorick, S. Do bullied children get ill, or do ill children get bullied? A prospective cohort study on the relationship between bullying and health-related symptoms. *Pediatrics* **117**, 1568–74 (2006).
20. Saps, M. *et al.* Post-infectious functional gastrointestinal disorders in children. *J. Pediatr.* **152**, 812–6 (2008).
21. Zhang, Z.-F. *et al.* The serotonin transporter gene polymorphism (5-HTTLPR) and irritable bowel syndrome: a meta-analysis of 25 studies. *BMC Gastroenterol.* **14**, 23

- (2014).
22. Levy, R. *et al.* Irritable bowel syndrome in twins: heredity and social learning both contribute to etiology. *Gastroenterology* **121**, 799–804 (2001).
 23. Saulnier, D. *et al.* Gastrointestinal microbiome signatures of pediatric patients with irritable bowel syndrome. *Gastroenterology* **141**, 1782–91 (2011).
 24. Abomoelak, B. *et al.* The Gut Microbiome Alterations in Pediatric Patients with Functional Abdominal Pain Disorders. *Microorganisms* **9**, (2021).
 25. Zeevenhooven, J. *et al.* A Core Outcome Set for Clinical Trials in Pediatric Functional Abdominal Pain Disorders. *J. Pediatr.* **221**, 115-122.e5 (2020).
 26. Guyatt, G. *et al.* GRADE: an emerging consensus on rating quality of evidence and strength of recommendations. *BMJ* **336**, 924–6 (2008).
 27. Rasquin, A. *et al.* Childhood functional gastrointestinal disorders: child/adolescent. *Gastroenterology* **130**, 1527–37 (2006).
 28. Koppen, I. J. N., Nurko, S., Saps, M., Di Lorenzo, C. & Benninga, M. A. The pediatric Rome IV criteria: what's new? *Expert Rev. Gastroenterol. Hepatol.* **11**, 193–201 (2017).
 29. Drossman, D. A. Functional gastrointestinal disorders: History, pathophysiology, clinical features, and Rome IV. *Gastroenterology* **150**, 1262-1279e2 (2016).
 30. Palsson, O. S. *et al.* Development and validation of the Rome IV diagnostic questionnaire for adults. *Gastroenterology* **150**, 1481–1491 (2016).
 31. Lacy, B. E. *et al.* Bowel disorders. *Gastroenterology* **150**, 1393-1407e5 (2016).
 32. Saps, M., Velasco-Benitez, C. A., Langshaw, A. H. & Ramírez-Hernández, C. R. Prevalence of Functional Gastrointestinal Disorders in Children and Adolescents: Comparison Between Rome III and Rome IV Criteria. *J. Pediatr.* **199**, 212–216 (2018).
 33. Giannetti, E. *et al.* Subtypes of irritable bowel syndrome in children: prevalence at diagnosis and at follow-up. *J. Pediatr.* **164**, 1099-1103.e1 (2014).
 34. Devanarayana, N., de Silva, D. & de Silva, H. Aetiology of recurrent abdominal pain in a cohort of Sri Lankan children. *J. Paediatr. Child Health* **44**, 195–200 (2008).
 35. Helgeland, H. *et al.* Diagnosing pediatric functional abdominal pain in children (4–15 years old) according to the Rome III Criteria: results from a Norwegian prospective study. *J. Pediatr. Gastroenterol. Nutr.* **49**, 309–15 (2009).
 36. Gijsbers, C., Kneepkens, C., Schweizer, J., Benninga, M. & Büller, H. Recurrent abdominal pain in 200 children: somatic causes and diagnostic criteria. *Acta Paediatr.* **100**, e208-14 (2011).
 37. Zeevenhooven, J. *et al.* Clinical Evaluation of Inflammatory and Blood Parameters in the Workup of Pediatric Chronic Abdominal Pain. *J. Pediatr.* **219**, 76-82.e3 (2020).
 38. Fishman, M., Aronson, M. & Chacko, M. Chronic abdominal pain in children and adolescents: Approach to the evaluation. www.uptodate.com Updated June 2, 2014 (2013).
 39. Rutten, J., Vlieger, A. & Benninga, M. Chronische buikpijn bij kinderen. *Prakt. Pediatr.* **7**, 20–5 (2013).
 40. Markus, J. *et al.* Treatment strategies for anterior cutaneous nerve entrapment syndrome in children: A systematic review. *J. Pediatr. Surg.* **56**, 605–613 (2021).
 41. Di Lorenzo, C. *et al.* Chronic abdominal pain in children : a technical report of the American Academy of Pediatrics and the North American Society for Pediatric Gastroenterology, Hepatology and Nutrition. *J Pediatr Gastroenterol Nutr* **40**, 249–61 (2005).
 42. Gieteling, M. *et al.* NHG-Standaard Buikpijn bij kinderen. *Huisarts Wet* **55**, 404–9 (2012).
 43. Lewis, S. & Heaton, K. Stool form scale as a useful guide to intestinal transit time. *Scand. J. Gastroenterol.* **32**, 920–4 (1997).
 44. McGrath, P., Goodman, J., Firestone, P., Shipman, R. & Peters, S. Recurrent abdominal pain: a psychogenic disorder? *Arch. Dis. Child.* **58**, 888–90 (1983).
 45. Hodges, K., Kline, J., Barbero, G. & Flanery, R. Life events occurring in families of children with recurrent abdominal pain. *J Psychosom Res* **28**, 185–8 (1984).

46. Wasserman, A., Whittington, P. & Rivara, F. Psychogenic basis for abdominal pain in children and adolescents. *J Am Acad Child Adolesc Psychiatry* **27**, 179–84 (1988).
47. Walker, L., Garber, J. & Greene, J. Psychosocial correlates of recurrent abdominal pain: a comparison of pediatric patients with recurrent abdominal pain, organic illness, and psychiatric disorders. *J Abnorm. Psychol* **102**, 248–58 (1993).
48. Walker, L. & Greene, J. Children with recurrent abdominal pain and their parents: more somatic complaints, anxiety, and depression than other patient families? *J Pediatr Psychol* **14**, 231–43 (1989).
49. Robinson, J., Alvarez, J. & Dodge, J. Life events and family history in children with recurrent abdominal pain. *J Psychosom Res* **34**, 171–81 (1990).
50. Alfvén, G. The pressure pain threshold (PPT) of certain muscles in children suffering from recurrent abdominal pain of non-organic origin. *Acta Paediatr* **82**, 481–3 (1993).
51. El-Chammas, K., Majeskie, A., Simpson, P., Sood, M. & Miranda, A. Red flags in children with chronic abdominal pain and crohn's disease-a single center experience. *J. Pediatr.* **162**, 783–7 (2013).
52. Uusijärvi, A. et al. Combining Rome III criteria with alarm symptoms provides high specificity but low sensitivity for functional gastrointestinal disorders in children. *Acta Paediatr. Int. J. Paediatr.* **107**, 1635–1641 (2018).
53. Czismadia, C., Mearin, M., von Blomberg, B., Brand, R. & SP, V.-V. An iceberg of childhood coeliac disease in the Netherlands. *Lancet* **353**, 813–14 (1999).
54. Steens, R. et al. A national prospective study on childhood celiac disease in the Netherlands 1993–2000: an increasing recognition and a changing clinical picture. *J. Pediatr.* **147**, 239–43 (2005).
55. Krosgaard, L., Engsbro, A., Stensvold, C., Nielsen, H. & Bytzer, P. The prevalence of intestinal parasites is not greater among individuals with irritable bowel syndrome: a population-based case-control study. *Clin. Gastroenterol. Hepatol.* **13**, 507–13 (2015).
56. Heyland, K., Friedt, M., Buehr, P. & Braegger, C. P. No advantage for antibiotic treatment over placebo in blastocystis hominis-positive children with recurrent abdominal pain. *J. Pediatr. Gastroenterol. Nutr.* **54**, 677–679 (2012).
57. de Jong, M. et al. Dientamoeba fragilis and chronic abdominal pain in children: a case-control study. *Arch. Dis. Child.* **99**, 1109–13 (2014).
58. Röser, D. et al. Metronidazole therapy for treating dientamoebiasis in children is not associated with better clinical outcomes: a randomized, double-blinded and placebo-controlled clinical trial. *Clin. Infect. Dis.* **58**, 1692–9 (2014).
59. Berni Canani, R. et al. Diagnostic value of faecal calprotectin in paediatric gastroenterology clinical practice. *Dig. liver Dis.* **36**, 467–70 (2004).
60. Flagstad, G., Helgeland, H. & Markestad, T. Faecal calprotectin concentrations in children with functional gastrointestinal disorders diagnosed according to the oediatric Rome III criteria. *Acta Paediatr.* **99**, 734–7 (2010).
61. Henderson, P. et al. The diagnostic accuracy of fecal calprotectin during the investigation of suspected pediatric inflammatory bowel disease. *Am. J. Gastroenterol.* **107**, 941–9 (2012).
62. Diamanti, A. et al. Diagnostic work-up of inflammatory bowel disease in children: the role of calprotectin assay. *Inflamm. Bowel Dis.* **16**, 1926–30 (2010).
63. van Rheenen, P. F., Van de Vijver, E. & Fidler, V. Faecal calprotectin for screening of patients with suspected inflammatory bowel disease: diagnostic meta-analysis. *BMJ* **341**, c3369 (2010).
64. Schmidt, R., Babcock, D. & Farrell, M. Use of abdominal and pelvic ultrasound in the evaluation of chronic abdominal pain. *Clin Pediatr* **32**, 147–50 (1993).
65. Yip, W., Ho, T., Yip, Y. & Chan, K. Value of abdominal sonography in the assessment of children with abdominal pain. *J. Clin. ultrasound* **26**, 397–400 (1998).
66. Puzanovova, M. et al. Sex, psychosocial factors, and reported symptoms influence referral for esophagogastroduodenoscopy and biopsy results in children with chronic abdominal pain. *Journal of Pediatric Gastroenterology & Nutrition* **47**, 54–60
67. Thakkar, K. et al. Diagnostic yield of oesophagogastroduodenoscopy in children with

- abdominal pain. *Alimentary Pharmacology & Therapeutics* **30**, 662–9 (2009).
68. Bonilla, S., Deli Wang & Saps, M. The prognostic value of obtaining a negative endoscopy in children with functional gastrointestinal disorders. *Clin. Pediatr. (Phila)*. **50**, 396–401 (2011).
69. Tam, Y. et al. Impact of pediatric Rome III criteria of functional dyspepsia on the diagnostic yield of upper endoscopy and predictors for a positive endoscopic finding. *Journal of Pediatric Gastroenterology & Nutrition* **52**, 387–91 (2011).
70. Thakkar, K., Dorsey, F. & Gilger, M. Impact of endoscopy on management of chronic abdominal pain in children. *Digestive Diseases & Sciences* **56**, 488–93 (2011).
71. Thakkar, K., Chen, L., Tessier, M. E. & Gilger, M. A. Outcomes of children after esophagogastroduodenoscopy for chronic abdominal pain. *Clin. Gastroenterol. Hepatol. Off. Clin. Pract. J. Am. Gastroenterol. Assoc.* **12**, 963–969 (2014).
72. Emeksiz, H. C., Kocak, F. G., Livaoglu, A. & Akbulut, U. E. Diagnostic yield of esophagogastroduodenoscopy in children with chronic abdominal pain. *Arch. Med. Sci.* **14**, 74–80 (2018).
73. Spiegel, B. et al. Is a negative colonoscopy associated with reassurance or improved health-related quality of life in irritable bowel syndrome? *Gastrointest. Endosc.* **62**, 892–9 (2005).
74. Wald, A., Chandra, R., Fisher, S., Gartner, J. & Zitelli, B. Lactose malabsorption in recurrent abdominal pain of childhood. *Journal of Pediatrics* **100**, 65–8
75. Webster, R., DiPalma, J. & Gremse, D. Lactose maldigestion and recurrent abdominal pain in children. *Digestive Diseases & Sciences* **40**, 1506–10
76. Barr, R., Levine, M. & Watkins, J. Recurrent abdominal pain of childhood due to lactose intolerance. *N. Engl. J. Med.* **300**, 1449–52 (1979).
77. Gijsbers, C., Kneepkens, C. & Büller, H. Lactose and fructose malabsorption in children with recurrent abdominal pain: results of double-blinded testing. *Acta Paediatr.* **101**, e411-5 (2012).
78. Hammer, H. F. et al. European guideline on indications, performance, and clinical impact of hydrogen and methane breath tests in adult and pediatric patients: European Association for Gastroenterology, Endoscopy and Nutrition, European Society of Neurogastroenterology and Mo. *United Eur. Gastroenterol. J.* (2021). doi:10.1002/ueg2.12133
79. Walker, L. et al. Parent attention versus distraction: impact on symptom complaints by children with and without chronic functional abdominal pain. *Pain* **122**, 43–52 (2006).
80. Gieteling, M. J., Bierma-Zeinstra, S. M. A., Passchier, J. & Berger, M. Y. Prognosis of chronic or recurrent abdominal pain in children. *J. Pediatr. Gastroenterol. Nutr.* **47**, 316–326 (2008).
81. Asgarshirazi, M., Shariat, M. & Dalili, H. Comparison of the Effects of pH-Dependent Peppermint Oil and Synbiotic Lactol (Bacillus coagulans + Fructooligosaccharides) on Childhood Functional Abdominal Pain: A Randomized Placebo-Controlled Study. *Iran. Red Crescent Med. J.* **17**, 0–5 (2015).
82. Narang, M., Shah, D. & Akhtar, H. Efficacy and safety of drotaverine hydrochloride in children with recurrent abdominal pain: A randomized placebo controlled trial. *Indian Pediatr.* **52**, 847–851 (2015).
83. Pourmoghaddas, Z., Saneian, H., Roohafza, H. & Gholamrezaei, A. Mebeverine for pediatric functional abdominal pain: A randomized, placebo-controlled trial. *Biomed Res. Int.* **2014**, (2014).
84. Karabulut, G. S. et al. The incidence of irritable bowel syndrome in children using the rome iii criteria and the effect of trimebutine treatment. *J. Neurogastroenterol. Motil.* **19**, 90–93 (2013).
85. Kline, R. M., Kline, J. J., Di Palma, J. & Barbero, G. J. Enteric-coated, pH-dependent peppermint oil capsules for the treatment of irritable bowel syndrome in children. *J. Pediatr.* **138**, 125–128 (2001).
86. Ford, A. C. et al. Effect of fibre, antispasmodics, and peppermint oil in the treatment of irritable bowel syndrome: Systematic review and meta-analysis. *Bmj* **337**, 1388–1392

- (2008).
87. Khanna, R., Macdonald, J. & Levesque, B. Peppermint oil for the treatment of irritable bowel syndrome. *J Clin Gastroenterol* **48**, 505–12 (2014).
 88. Darvish-Damavandi, M., Nikfar, S. & Abdollahi, M. A systematic review of efficacy and tolerability of mebeverine in irritable bowel syndrome. *World J. Gastroenterol.* **16**, 547–553 (2010).
 89. Hoekman, D. R. *et al.* The Placebo Response in Pediatric Abdominal Pain-Related Functional Gastrointestinal Disorders: A Systematic Review and Meta-Analysis. *J. Pediatr.* **182**, 155–163.e7 (2017).
 90. Khalif, I. *et al.* Interactions between symptoms and motor and visceral sensory responses of irritable bowel syndrome patients to spasmolytics (Antispasmodics). *J Gastrointestin Liver Dis* (2009).
 91. Bahar, R. J., Collins, B. S., Steinmetz, B. & Ament, M. E. Double-blind Placebo-Controlled Trial of Amitriptyline for the Treatment of Irritable Bowel Syndrome in Adolescents. *J. Pediatr.* **152**, 685–689 (2008).
 92. Roohafza, H., Pourmoghaddas, Z., Saneian, H. & Gholamrezaei, A. Citalopram for pediatric functional abdominal pain: A randomized, placebo-controlled trial. *Neurogastroenterol. Motil.* **26**, 1642–1650 (2014).
 93. Saps, M. *et al.* Multicenter, Randomized, Placebo-Controlled Trial of Amitriptyline in Children With Functional Gastrointestinal Disorders. *Gastroenterology* **137**, 1261–1269 (2009).
 94. Brandt, L. *et al.* An evidence-based systematic review on the management of irritable bowel syndrome. *Am J Gastroenterol* **104 Suppl**, S1–35 (2009).
 95. Ford, A. C., Talley, N. J., Schoenfeld, P. S., Quigley, E. M. M. & Moayyedi, P. Efficacy of antidepressants and psychological therapies in irritable bowel syndrome: systematic review and meta-analysis. *Gut* **58**, 367–378 (2009).
 96. Khoshoo, V., Armstead, C. & Landry, L. Effect of a laxative with and without tegaserod in adolescents with constipation predominant irritable bowel syndrome. *Aliment. Pharmacol. Ther.* **23**, 191–196 (2006).
 97. Genootschap, N. H. *et al.* Richtlijn Obstipatie bij kinderen van 0 tot 18 jaar. 228 (2015).
 98. Trinkley, K. E. & Nahata, M. C. Medication Management of Irritable Bowel Syndrome. *Digestion* **89**, 253–267 (2014).
 99. Collins, B. S. & Lin, H. C. Double-blind, placebo-controlled antibiotic treatment study of small intestinal bacterial overgrowth in children with chronic abdominal pain. *J. Pediatr. Gastroenterol. Nutr.* **52**, 382–386 (2011).
 100. See, M. C., Birnbaum, A. H., Schechter, C. B., Goldenberg, M. M. & Benkov, K. J. Double-blind, placebo-controlled trial of famotidine in children with abdominal pain and dyspepsia: Global and quantitative assessment. *Dig. Dis. Sci.* **46**, 985–992 (2001).
 101. Moayyedi, P. *et al.* Pharmacological interventions for non-ulcer dyspepsia. *Cochrane database Syst. Rev.* **CD001960**, (2006).
 102. Karunananayake, A., Devanarayana, N. M., De Silva, A., Gunawardena, S. & Rajindrajith, S. Randomized Controlled Clinical Trial on Value of Domperidone in Functional Abdominal Pain in Children. *J. Pediatr. Gastroenterol. Nutr.* **66**, 725–731 (2018).
 103. Worawattanakul, M., Rhoads, J., Lichtman, S. & Ulshen, M. Abdominal migraine: prophylactic treatment and follow-up. *J Pediatr Gastroenterol Nutr* **28**, 37–40 (1999).
 104. Kakisaka, Y. *et al.* Efficacy of sumatriptan in two pediatric cases with abdominal pain-related functional gastrointestinal disorders: does the mechanism overlap that of migraine? *J Child Neurol* **25**, 234–7 (2010).
 105. Moran, J. Adult abdominal migraine and sumatriptan: a case report. *Ir Med J* **91**, 215–6 (1998).
 106. Sadeghian, M., Farahmand, F., Fallahi, G. H. & Abbasi, A. Cyproheptadine for the treatment of functional abdominal pain in childhood: a double-blinded randomized placebo-controlled trial. *Minerva Pediatr* **60**, 1367–1374 (2008).
 107. Symon, D. N. K. & Russell, G. Double blind placebo controlled trial of pizotifen syrup in

- the treatment of abdominal migraine. *Arch. Dis. Child.* **73**, 183 (1995).
108. Klooster, T. et al. The mast cell stabiliser ketotifen decreases visceral hypersensitivity and improves intestinal symptoms in patients with irritable bowel syndrome. *Gut* **59**, 1213–21 (2010).
 109. Wouters, M. M. et al. Histamine Receptor H1-Mediated Sensitization of TRPV1 Mediates Visceral Hypersensitivity and Symptoms in Patients With Irritable Bowel Syndrome. *Gastroenterology* **150**, 875–87.e9 (2016).
 110. Badhian, N., Yaghini, O., Badhian, S., Shahsanaei, A. & Saneian, H. Comparison of the Efficacy of Buspirone and Placebo in Childhood Functional Abdominal Pain. *Am. J. Gastroenterol.* **1** (2020). doi:10.14309/ajg.00000000000000589
 111. Zybach, K. Therapeutic effect of melatonin on pediatric functional dyspepsia: A pilot study. *World J. Gastrointest. Pharmacol. Ther.* **7**, 156 (2016).
 112. Villoria, A., Serra, J., Azpiroz, F. & Malagelada, J.-R. Physical activity and intestinal gas clearance in patients with bloating. *Am. J. Gastroenterol.* **101**, 2552–7 (2006).
 113. Daley, A. et al. The effects of exercise upon symptoms and quality of life in patients diagnosed with irritable bowel syndrome: a randomised controlled trial. *Int J Sport. Med* **29**, 778–82 (2008).
 114. Johannesson, E., Simrén, M., Strid, H., Bajor, A. & Sadik, R. Physical activity improves symptoms in irritable bowel syndrome: a randomized controlled trial. *Am. J. Gastroenterol.* **106**, 915–22 (2011).
 115. Horvath, A., Dziechciarz, P. & Szajewska, H. Glucomannan for abdominal pain-related functional gastrointestinal disorders in children: A randomized trial. *World J. Gastroenterol.* **19**, 3062–3068 (2013).
 116. Romano, C., Comito, D., Famiani, A., Calamarà, S. & Loddo, I. Partially hydrolyzed guar gum in pediatric functional abdominal pain. *World J. Gastroenterol.* **19**, 235–240 (2013).
 117. Jagadeesh, M. V. R., Thapa, B. R., Lal, S. B. & Rana, S. V. Efficacy of oral psyllium versus placebo in pediatric irritable bowel syndrome: A double blind randomized control trial.
 118. Shulman, R. J. et al. Psyllium Fiber Reduces Abdominal Pain in Children With Irritable Bowel Syndrome in a Randomized, Double-Blind Trial. *Clin. Gastroenterol. Hepatol.* **15**, 712–719.e4 (2017).
 119. Feldman, W. The Use of Dietary Fiber in the Management of Simple, Childhood, Idiopathic, Recurrent, Abdominal Pain. *Am. J. Dis. Child.* **139**, 1216 (1985).
 120. Ai, Y. & Jane, J.-L. Macronutrients in Corn and Human Nutrition. *Compr. Rev. food Sci. food Saf.* **15**, 581–598 (2016).
 121. Korczak, R., Kamil, A., Fleige, L., Donovan, S. M. & Slavin, J. L. Dietary fiber and digestive health in children. *Nutr. Rev.* **75**, 241–259 (2017).
 122. Feldman, W., McGrath, P., Hodgson, C., Ritter, H. & Shipman, R. The use of dietary fiber in the management of simple, childhood, idiopathic, recurrent, abdominal pain. Results in a prospective, double-blind, randomized, controlled trial. *Am J Dis Child* **139**, 1216–8 (1985).
 123. Simrén, M. et al. Functional gastrointestinal disorders food-related gastrointestinal symptoms in the irritable bowel syndrome. *Digestion* **63**, 108–115 (2001).
 124. Ford, A. et al. Effect of fibre, antispasmodics, and peppermint oil in the treatment of irritable bowel syndrome: systematic review and meta-analysis. *BMJ* **337**, a2313 (2008).
 125. Moayyedi, P. et al. The effect of fiber supplementation on irritable bowel syndrome: a systematic review and meta-analysis. *Am. J. Gastroenterol.* **109**, 1367–74 (2014).
 126. Rexwinkel, R., de Bruijn, C. M. A., Gordon, M., Benninga, M. A. & Tabbers, M. M. Pharmacologic treatment in functional abdominal pain disorders in children: A systematic review. *Pediatrics* **147**, (2021).
 127. Boradyn, K. M., Przybyłowicz, K. E. & Jarocka-Cyrta, E. Low FODMAP Diet Is Not Effective in Children with Functional Abdominal Pain: A Randomized Controlled Trial. *Ann. Nutr. Metab.* **76**, 334–344 (2021).

128. Chumpitazi, B. P. *et al.* Randomised Clinical Trial: Gut Microbiome Biomarkers are Associated. *Aliment. Pharmacol. Ther.* **42**, 418–427 (2015).
129. Shepherd, S., Lomer, M. & Gibson, P. Short-chain carbohydrates and functional gastrointestinal disorders. *Am. J. Gastroenterol.* **108**, 707–17 (2013).
130. Bellini, M. & Rossi, A. Is a low FODMAP diet dangerous? *Tech. Coloproctol.* **22**, 569–571 (2018).
131. Gibson, P. R. & Shepherd, S. J. Evidence-based dietary management of functional gastrointestinal symptoms: The FODMAP approach. *J. Gastroenterol. Hepatol.* **25**, 252–258 (2010).
132. Staudacher, H. M. & Whelan, K. The low FODMAP diet: recent advances in understanding its mechanisms and efficacy in IBS. *Gut* **66**, 1517 LP – 1527 (2017).
133. Lacy, B. E. *et al.* ACG Clinical Guideline: Management of Irritable Bowel Syndrome. *Am. J. Gastroenterol.* **116**, 17–44 (2021).
134. van Lanen, A. S., de Bree, A. & Greylings, A. Efficacy of a low-FODMAP diet in adult irritable bowel syndrome: a systematic review and meta-analysis. *Eur. J. Nutr.* (2021). doi:10.1007/s00394-020-02473-0
135. Rej, A. *et al.* The low FODMAP diet for IBS; A multicentre UK study assessing long term follow up. *Dig. liver Dis. Off. J. Ital. Soc. Gastroenterol. Ital. Assoc. Study Liver* (2021). doi:10.1016/j.dld.2021.05.004
136. Alfaro-Cruz, L., Heitkemper, M., Chumpitazi, B. P. & Shulman, R. J. Literature Review: Dietary Intervention Adherence and Adherence Barriers in Functional Gastrointestinal Disorder Studies. *J. Clin. Gastroenterol.* **54**, 203–211 (2020).
137. Wirth, S. *et al.* Positive or negative fructose breath test results do not predict response to fructose restricted diet in children with recurrent abdominal pain: Results from a prospective randomized trial. *Klin. Padiatr.* **226**, 268–273 (2014).
138. Chumpitazi, B. P. *et al.* Fructans Exacerbate Symptoms in a Subset of Children With Irritable Bowel Syndrome. *Clin. Gastroenterol. Hepatol.* **16**, 219–225.e1 (2018).
139. Moshfegh, A. J., Friday, J. E., Goldman, J. P. & Ahuja, J. K. Presence of inulin and oligofructose in the diets of Americans. *J. Nutr.* **129**, 1407S–11S (1999).
140. Baştürk, A., Artan, R. & Yılmaz, A. Efficacy of synbiotic, probiotic, and prebiotic treatments for irritable bowel syndrome in children: A randomized controlled trial. *Turkish J. Gastroenterol.* **27**, 439–443 (2016).
141. Carlson, J. L., Erickson, J. M., Lloyd, B. B. & Slavin, J. L. Health Effects and Sources of Prebiotic Dietary Fiber. *Curr. Dev. Nutr.* **2**, nzy005 (2018).
142. El Amrousy, D., Hassan, S., El Ashry, H., Yousef, M. & Hodeib, H. Vitamin D supplementation in adolescents with irritable bowel syndrome: Is it useful? A randomized controlled trial. *Saudi J. Gastroenterol.* **24**, 109–114 (2018).
143. Lackner, S. *et al.* Histamine-reduced diet and increase of serum diamine oxidase correlating to diet compliance in histamine intolerance. *Eur. J. Clin. Nutr.* **73**, 102–104 (2019).
144. Cremon C, W. D. B. M. R. F. D. V. C. C. R. P. A. R. L. M. D. C. E. S. D. B. L. S. V & Barbara, G. The effect of Zespri green kiwifruit on digestive functions in constipated patients: a randomized, controlled, single-blind, cross over study. *Neurogastroenterol. Motil.* **31**, (2019).
145. Biesiekierski, J. R. *et al.* Gluten Causes Gastrointestinal Symptoms in Subjects Without Celiac Disease: A Double-Blind Randomized Placebo-Controlled Trial. *Off. J. Am. Coll. Gastroenterol. | ACG* **106**, (2011).
146. Barbaro, M. R. *et al.* Non-Celiac Gluten Sensitivity in the Context of Functional Gastrointestinal Disorders. *Nutrients* **12**, 3735 (2020).
147. Baştürk, A., Artan, R. & Yılmaz, A. Efficacy of synbiotic, probiotic, and prebiotic treatments for irritable bowel syndrome in children: A randomized controlled trial. *Turkish J. Gastroenterol. Off. J. Turkish Soc. Gastroenterol.* **27**, 439–443 (2016).
148. Sudha, M. R., Jayanthi, N., Aasin, M., Dhanashri, R. D. & Anirudh, T. Efficacy of *Bacillus coagulans* Unique IS2 in treatment of irritable bowel syndrome in children: a double blind, randomised placebo controlled study. *Benef. Microbes* **9**, 563–572

- (2018).
149. Weizman, Z., Abu-Abed, J. & Binsztok, M. Lactobacillus reuteri DSM 17938 for the Management of Functional Abdominal Pain in Childhood: A Randomized, Double-Blind, Placebo-Controlled Trial. *J. Pediatr.* **174**, 160–164.e1 (2016).
 150. Eftekhari, K., Vahedi, Z., Kamali Aghdam, M. & Noemi Diaz, D. A Randomized Double-Blind Placebo-Controlled Trial of Lactobacillus reuteri for Chronic Functional Abdominal Pain in Children. *Iran. J. Pediatr.* **25**, e2616 (2015).
 151. Gawrońska, A., Dziechciarz, P., Horvath, A. & Szajewska, H. A randomized double-blind placebo-controlled trial of Lactobacillus GG for abdominal pain disorders in children. *Aliment. Pharmacol. Ther.* **25**, 177–84 (2007).
 152. Giannetti, E. et al. A Mixture of 3 Bifidobacteria Decreases Abdominal Pain and Improves the Quality of Life in Children With Irritable Bowel Syndrome: A Multicenter, Randomized, Double-Blind, Placebo-Controlled, Crossover Trial. *J. Clin. Gastroenterol.* **51**, e5–e10 (2017).
 153. Guandalini, S. et al. VSL#3 improves symptoms in children with irritable bowel syndrome: a multicenter, randomized, placebo-controlled, double-blind, crossover study. *J. Pediatr. Gastroenterol. Nutr.* **51**, 24–30 (2010).
 154. Jadrešin, O. et al. Lactobacillus reuteri DSM 17938 is effective in the treatment of functional abdominal pain in children: Results of the double-blind randomized study. *Clin. Nutr.* **39**, 3645–3651 (2020).
 155. Maragkoudaki, M. et al. Lactobacillus reuteri DSM 17938 and a placebo both significantly reduced symptoms in children with functional abdominal pain. *Acta Paediatr.* **106**, 1857–1862 (2017).
 156. Rahmani, P., Ghouran-Orimi, A., Motamed, F. & Moradzadeh, A. Evaluating the effects of probiotics in pediatrics with recurrent abdominal pain. *Clin. Exp. Pediatr.* **63**, 485–490 (2020).
 157. Sabbi, T. & Palumbo, M. The use of lactobacillus gg in children with functional abdominal pain: A double-blind randomized control trial. *Dig. Liver Dis.* **43**, (2011).
 158. Francavilla, R. et al. A randomized controlled trial of Lactobacillus GG in children with functional abdominal pain. *Pediatrics* **126**, e1445–52 (2010).
 159. Jadrešin, O. et al. Lactobacillus reuteri DSM 17938 in the Treatment of Functional Abdominal Pain in Children: RCT Study. *J. Pediatr. Gastroenterol. Nutr.* **64**, 925–929 (2017).
 160. Bauserman, M. & Michail, S. The use of Lactobacillus GG in irritable bowel syndrome in children: a double-blind randomized control trial. *J. Pediatr.* **147**, 197–201 (2005).
 161. Kianifar, H. et al. Probiotic for irritable bowel syndrome in pediatric patients: a randomized controlled clinical trial. *Electron. physician* **7**, 1255–1260 (2015).
 162. Otuzbir A et al. Efficiency and immunologic effects of synbiotics in children with functional abdominal pain. *J. Pediatr. Gastroenterol. Nutr.* **62**, (2016).
 163. Saneian, H., Pourmoghaddas, Z., Roohafza, H. & Gholamrezaei, A. Synbiotic containing Bacillus coagulans and fructo-oligosaccharides for functional abdominal pain in children. *Gastroenterol. Hepatol. from bed to bench* **8**, 56–65 (2015).
 164. Simrén, M. et al. Intestinal microbiota in functional bowel disorders: a Rome foundation report. *Gut* **62**, 159–76 (2013).
 165. Gordon, M., Farrell, M., Thomas, A. G., Akobeng, A. K. & Wallace, C. Probiotics for management of functional abdominal pain disorders in children. *The Cochrane Database of Systematic Reviews* **2017**, (2017).
 166. Quigley, E. Probiotics in functional gastrointestinal disorders: what are the facts? *Curr. Opin. Pharmacol.* **8**, 704–8 (2008).
 167. Gulewitsch, M. D., Müller, J., Hautzinger, M. & Schlarb, A. A. Brief hypnotherapeutic-behavioral intervention for functional abdominal pain and irritable bowel syndrome in childhood: A randomized controlled trial. *Eur. J. Pediatr.* **172**, 1043–1051 (2013).
 168. Vlieger, A. M., Menko-Frankenhuis, C., Wolfkamp, S. C. S., Tromp, E. & Benninga, M. A. Hypnotherapy for children with functional abdominal pain or irritable bowel syndrome: a randomized controlled trial. *Gastroenterology* **133**, 1430–6 (2007).

169. Gulewitsch, M. D. & Schlarb, A. A. Comparison of gut-directed hypnotherapy and unspecific hypnotherapy as self-help format in children and adolescents with functional abdominal pain or irritable bowel syndrome: A randomized pilot study. *Eur. J. Gastroenterol. Hepatol.* **29**, 1351–1360 (2017).
170. Pas, R. *et al.* Pain Neuroscience Education for Children with Functional Abdominal Pain Disorders: A Randomized Comparative Pilot Study. *J. Clin. Med.* **9**, 1797 (2020).
171. Weydert, J. A. *et al.* Evaluation of guided imagery as treatment for recurrent abdominal pain in children: A randomized controlled trial. *BMC Pediatr.* **6**, 1–10 (2006).
172. Youssef, N. N., van Tilburg, M. A., Matta, E. N., Langseder, A. L. & Whitehead, W. E. Feasibility and efficacy of pilot study investigating a school nurse administered guided imagery program for childhood functional abdominal pain. *Gastroenterology* **136**, 156–157 (2009).
173. Rutten, J. M. T. M. *et al.* Home-based hypnotherapy self-exercises vs individual hypnotherapy with a therapist for treatment of pediatric irritable bowel syndrome, functional abdominal pain, or functional abdominal pain syndrome a randomized clinical trial. *JAMA Pediatr.* **171**, 470–477 (2017).
174. Van Tilburg, M. A. L. *et al.* Audio-recorded guided imagery treatment reduces functional abdominal pain in children: A pilot study. *Pediatrics* **124**, (2009).
175. Green, J., Barabasz, A., Barrett, D. & Montgomery, G. Forging ahead : The 2003 APA division 30 definition of hypnosis. *Int. J. Clin. Exp. Hypn.* **53**, 259–64 (2005).
176. Vlieger, A. M., Rutten, J. M. T. M., Govers, A. M. A. P., Frankenhuus, C. & Benninga, M. A. Long-term follow-up of gut-directed hypnotherapy vs. standard care in children with functional abdominal pain or irritable bowel syndrome. *Am. J. Gastroenterol.* **107**, 627–31 (2012).
177. Rexwinkel, R. *et al.* Long-term follow-up of gut-directed hypnotherapy self-exercises at home using CD versus individual therapy by qualified therapists in children with irritable bowel syndrome or functional abdominal pain (syndrome).
178. Alfvén, G. & Lindstrom, A. A new method for the treatment of recurrent abdominal pain of prolonged negative stress origin. *Acta Paediatr.* **96**, 76–81 (2007).
179. Bonnert, M. *et al.* Internet-Delivered Cognitive Behavior Therapy for Adolescents With Irritable Bowel Syndrome: A Randomized Controlled Trial. *Am. J. Gastroenterol.* **112**, 152–162 (2017).
180. van der Veen, S. M. C., Derkx, B. H. F., Benninga, M. A., Boer, F. & de Haan, E. Cognitive Behavior Therapy for Pediatric Functional Abdominal Pain: A Randomized Controlled Trial. *Pediatrics* **132**, e1163–e1172 (2013).
181. Wassom, M. C., Schurman, J. V., Friesen, C. A. & Rapoff, M. A. A pilot study of 'gutstrong' for adolescents with functional gastrointestinal disorders. *Clin. Pract. Pediatr. Psychol.* **1**, 201–213 (2013).
182. Cunningham, N. R. *et al.* Cognitive Behavior Therapy Tailored to Anxiety Symptoms Improves Pediatric Functional Abdominal Pain Outcomes: A Randomized Clinical Trial. *J. Pediatr.* **230**, 62-70.e3 (2021).
183. Groß, M. & Warschburger, P. Evaluation of a cognitive-behavioral pain management program for children with chronic abdominal pain: A randomized controlled study. *Int. J. Behav. Med.* **20**, 434–443 (2013).
184. Hicks, C. L., von Baeyer, C. L. & McGrath, P. J. Online psychological treatment for pediatric recurrent pain: a randomized evaluation. *J. Pediatr. Psychol.* **31**, 724–36 (2006).
185. Lalouni, M. *et al.* Clinical and Cost Effectiveness of Online Cognitive Behavioral Therapy in Children with Functional Abdominal Pain Disorders. *Clin. Gastroenterol. Hepatol.* (2018).
186. Nieto, R., Boixadós, M., Ruiz, G., Hernández, E. & Huguet, A. Effects and experiences of families following a web-based psychosocial intervention for children with functional abdominal pain and their parents: A mixed-methods pilot randomized controlled trial. *J. Pain Res.* **12**, 3395–3412 (2019).

187. Robins, P. M., Smith, S. M., Glutting, J. J. & Bishop, C. T. A randomized controlled trial of a cognitive-behavioral family intervention for pediatric recurrent abdominal pain. *J. Pediatr. Psychol.* **30**, 397–408 (2005).
188. Sanders, M. R. et al. Cognitive-Behavioral Treatment of Recurrent Nonspecific Abdominal Pain in Children: An Analysis of Generalization, Maintenance, and Side Effects. *J. Consult. Clin. Psychol.* **57**, 294–300 (1989).
189. Sanders, M. R., Shepherd, R. W., Cleghorn, G. & Woolford, H. The Treatment of Recurrent Abdominal Pain in Children: A Controlled Comparison of Cognitive-Behavioral Family Intervention and Standard Pediatric Care. *J. Consult. Clin. Psychol.* **62**, 306–314 (1994).
190. Duarte, M. A. et al. Treatment of nonorganic recurrent abdominal pain: Cognitive-behavioral family intervention. *J. Pediatr. Gastroenterol. Nutr.* **43**, 59–64 (2006).
191. Levy, R. L. et al. Brief telephone-delivered cognitive-behavioral therapy targeted to parents of children with functional abdominal pain: a randomized controlled trial. *Pain* **158**, 618–628 (2017).
192. Levy, R. L. et al. Cognitive-behavioral therapy for children with functional abdominal pain and their parents decreases pain and other symptoms. *Am. J. Gastroenterol.* **105**, 946–956 (2010).
193. Walker, L. S. et al. Internet-delivered cognitive behavioral therapy for youth with functional abdominal pain: a randomized clinical trial testing differential efficacy by patient subgroup. *Pain* (2021). doi:10.1097/j.pain.0000000000002288
194. Warschburger, P. et al. Do Children With Functional Abdominal Pain Benefit More From a Pain-Specific Cognitive-Behavioral Intervention Than From an Unspecific Attention Control Intervention? Results of a Randomized Controlled Trial. *Am. J. Gastroenterol.* **116**, 1322–1335 (2021).
195. Ingo, C. Auswirkungen osteopathischer Behandlung bei Kindern mit funktionellen Bauchschmerzen: Eine klinische Studie mit 32 Kindern und Jugendlichen im Alter von 6 bis 18 Jahren. (2019).
196. Wallander, J. L., Madan-Swain, A., Klapow, J. & Saeed, S. A randomised controlled trial of written self-disclosure for functional recurrent abdominal pain in youth. *Psychol. Heal.* **26**, 433–447 (2011).
197. Evans, S. et al. Iyengar yoga for adolescents and young adults with irritable bowel syndrome. *J. Pediatr. Gastroenterol. Nutr.* **59**, 244–253 (2014).
198. Korterink, J. J., Ockeloen, L. E., Hilbink, M., Benninga, M. A. & Deckers-Kocken, J. M. Yoga Therapy for Abdominal Pain-Related Functional Gastrointestinal Disorders in Children: A Randomized Controlled Trial. *J. Pediatr. Gastroenterol. Nutr.* **63**, 481–487 (2016).
199. Kuttner, L. et al. A randomized trial of yoga for adolescents with irritable bowel syndrome. *Pain Res Manag.* **11**, 217–24 (2006).
200. Vlieger, A., Blink, M., Tromp, E. & Benninga, M. Use of complementary and alternative medicine by pediatric patients with functional and organic gastrointestinal diseases: results from a multicenter survey. *Pediatrics* **122**, e446-51 (2008).
201. Humphreys, P. & Gervitz, R. Treatment of recurrent abdominal pain: components analysis of four treatment protocols. *J Pediatr Gastroenterol Nutr* **31**, 47–51 (2000).
202. Schurman, J. V., Wu, Y. P., Grayson, P. & Friesen, C. A. A pilot study to assess the efficacy of biofeedback-assisted relaxation training as an adjunct treatment for pediatric functional dyspepsia associated with duodenal eosinophilia. *J. Pediatr. Psychol.* **35**, 837–847 (2010).
203. Kovacic, K. et al. Neurostimulation for abdominal pain-related functional gastrointestinal disorders in adolescents: a randomised, double-blind, sham-controlled trial. *Lancet. Gastroenterol. Hepatol.* **2**, 727–737 (2017).
204. Horst, S. et al. Predicting Persistence of Functional Abdominal Pain From Childhood Into Young Adulthood. *Clin. Gastroenterol. Hepatol.* **12**, 2026–2032 (2014).
205. Dengler-Crish, C., Horst, S. & Walker, L. Somatic complaints in childhood functional abdominal pain are associated with functional gastrointestinal disorders in

- adolescence and adulthood. *J. Pediatr. Gastroenterol. Nutr.* **52**, 162–5 (2011).
206. Walker, L. S., Dengler-Crish, C. M., Rippel, S. & Bruehl, S. Functional abdominal pain in childhood and adolescence increases risk for chronic pain in adulthood. *Pain* **150**, 568–572 (2010).
 207. Ramchandani, P., Fazel, M., Stein, A., Wiles, N. & Hotopf, M. The impact of recurrent abdominal pain: predictors of outcome in a large population cohort. *Acta Paediatr.* **96**, 697–701 (2007).
 208. Lisman-van Leeuwen, Y., Spee, L., Benninga, M., Bierma-Zeinstra, S. & Berger, M. Prognosis of abdominal pain in children in primary care- a prospective cohort study. *Ann. Fam. Med.* **11**, 238–44 (2013).
 209. Gieteling, M., Bierma-Zeinstra, S., Lisman-van Leeuwen, Y., Passchier, J. & Berger, M. Prognostic factors for persistence of chronic abdominal pain in children. *J. Pediatr. Gastroenterol. Nutr.* **52**, 154–61 (2011).
 210. Walker, L., Sherman, A., Bruehl, S., Garber, J. & Smith, C. Functional abdominal pain patient subtypes in childhood predict functional gastrointestinal disorders with chronic pain and psychiatric comorbidities in adolescence and adulthood. *Pain* **153**, 1798–806 (2012).
 211. Pace, F. *et al.* Family history of irritable bowel syndrome is the major determinant of persistent abdominal complaints in young adults with a history of pediatric recurrent abdominal pain. *World J. Gastroenterol.* **12**, 3874–7 (2006).
 212. <http://www.nvavg.nl/upload/diverse-publicaties/zorgaanbod-van-de-avg---digitale-versie-website.pdf>. (2012).
 213. Haveman, M. *et al.* Ageing and health status in adults with intellectual disabilities: results of the European POMONA II study. *J. Intellect. Dev. Disabil.* **36**, 49–60 (2011).
 214. Böhmer, C., Taminiau, J., Klinkenberg-Knol, E. & Meuwissen, S. The prevalence of constipation in institutionalized people with intellectual disability. *J Intellect Disabil Res* **45**, 212–18 (2001).
 215. Böhmer, C. *et al.* The prevalence of gastroesophageal reflux disease in institutionalized intellectually disabled individuals. *Am J Gastroenterol* **94**, 804–10 (1999).
 216. Braam, W. *et al.* *Medische zorg voor patiënten met een verstandelijke beperking*. (2014).
 217. Tomlinson, D., von Baeyer, C., Stinson, J. & Sung, L. A systematic review of faces scales for the self-report of pain intensity in children. *Pediatrics* **126**, e1168-98 (2010).
 218. Uusijärvi, A. *et al.* Combining Rome III criteria with alarm symptoms provides high specificity but low sensitivity for functional gastrointestinal disorders in children. *Acta Paediatr.* (2018). doi:10.1111/apa.14297
 219. Dengler-Crish, C. M., Horst, S. N. & Walker, L. S. Somatic complaints in childhood functional abdominal pain are associated with functional gastrointestinal disorders in adolescence and adulthood. *J Pediatr Gastroenterol Nutr* **52**, 162–5
 220. Stordal, K., Nygaard, E. & Bentsen, B. Recurrent abdominal pain: a five-year follow-up study. *Acta Paediatr.* **94**, 234–6 (2005).
 221. Lindley, K., Glaser, D. & Milla, P. Consumerism in healthcare can be detrimental to child health: lessons from children with functional abdominal pain. *Arch. Dis. Child.* **90**, 335–7 (2005).
 222. Crushell, E. *et al.* Importance of parental conceptual model of illness in severe recurrent abdominal pain. *Pediatrics* **112**, 1368–72 (2003).
 223. Campo, J. *et al.* Adult outcomes of pediatric recurrent abdominal pain: do they just grow out of it? *Pediatrics* **108**, e1–e1 (2001).
 224. Croffie, J., Fitzgerald, J. & Chong, S. Recurrent abdominal pain in children-a retrospective study of outcome in a group referred to a pediatric gastroenterology practice. *Clin. Pediatr. (Phila.)* **39**, 267–274 (2000).
 225. Hyams, J., Sylvester, F., Zeiter, D., Justinich, C. & Lerer, T. Dyspepsia in children and adolescents: a prospective study. *J. Pediatr. Gastroenterol. Nutr.* **4**, 413–8 (2000).
 226. Walker, L. S., Guite, J. W., Duke, M., Barnard, J. A. & Greene, J. W. Recurrent

- abdominal pain: A potential precursor of irritable bowel syndrome in adolescents and young adults. *J. Pediatr.* **132**, 1010–1015 (1998).
227. Hotopf, M., Carr, S., Mayou, R., Wadsworth, M. & Wessely, S. Why do children have chronic abdominal pain, and what happens to them when they grow up? Population based cohort study. *BMJ* **316**, 1196–1200 (1998).
 228. Borge, A., Nordhagen, R., Moe, B., Botten, G. & Bakketeg, L. Prevalence and persistence of stomach ache and headache among children. Follow-up of a cohort of Norwegian children from 4 to 10 years of age. *Acta Paediatr.* **83**, 433–7 (1994).
 229. Oymar, K., Fluge, G. & Rosendahl, K. Recurrent abdominal pain: a prospective study of 68 children. *Tidsskr Nor Laegeforen* **113**, 2566–8 (1993).
 230. Christensen, M. F. & Mortensen, O. Long-term prognosis in children with recurrent abdominal pain. *Arch. Dis. Child.* **50**, 110–4 (1975).
 231. Apley, J. & Hale, B. Children with recurrent abdominal pain: how do they grow up? *Br. Med. J.* **3**, 7–9 (1973).
 232. Dahl, L. & Haahr, J. Recurrent abdominal pain in children. *Ugeskr Laeger* **131**, 1509–12 (1969).
 233. Horst, S. et al. Predicting persistence of functional abdominal pain from childhood into young adulthood. *Clin. Gastroenterol. Hepatol.* **12**, 2026–32 (2014).
 234. Walker, L. & Heflinger, C. Quality of life predictors of outcome in pediatric abdominal pain patients: findings at initial assessment and 5-year follow-up. in *Measuring health related quality of life in children and adolescents: Implications for research and practice*. (ed. Drotar, D.) 237–52 (Lawrence Erlbaum Associates, 1998).
 235. Bury, R. A study of 111 children with recurrent abdominal pain. *Aust Paediatr J* **23**, 117–9 (1987).
 236. Magni, G., Pierri, M. & Donzelli, F. Recurrent abdominal pain in children: a long term follow-up. *Eur. J. Pediatr.* **146**, 72–4 (1987).
 237. Stickler, G. & Murphy, D. Recurrent abdominal pain. *Am J Dis Child* **133**, 486–9 (1979).
 238. Liebman, W. Recurrent abdominal pain in children: a retrospective survey of 199 patients. *Clin Pediatr* **17**, 149–53 (1978).
 239. Levy, R., Langer, S. & Whitehead, W. Social learning contributions to the etiology and treatment of functional abdominal pain and inflammatory bowel disease in children and adults. *World J Gastroenterol* **13**, 2397–2403 (2007).
 240. Olde Hartman, T., Woutersen-Koch, H. & Van der Horst, H. Medically unexplained symptoms: evidence, guidelines, and beyond. *Br. J. Gen. Pract.* **63**, 625–6 (2013).
 241. Vlieger, A., Menko-Frankenhuis, C., Wolfkamp, S., Tromp, E. & Benninga, M. Hypnotherapy for children with functional abdominal pain or irritable bowel syndrome: a randomized controlled trial. *Gastroenterology* **133**, 1430–6 (2007).
 242. van der Veen, S., Derkx, B., Benninga, M., Boer, F. & de Haan, E. Cognitive behavior therapy for pediatric functional abdominal pain: a randomized controlled trial. *Pediatrics* **132**, e1163-72 (2013).
 243. Lowén, M. et al. Effect of hypnotherapy and educational intervention on brain response to visceral stimulus in the irritable bowel syndrome. *Aliment. Pharmacol. Ther.* **37**, 1184–97 (2013).
 244. Rutten, J. et al. Gut-directed hypnotherapy in children with irritable bowel syndrome or functional abdominal pain (syndrome): a randomized controlled trial on self exercises at home using CD versus individual therapy by qualified therapists. *BMC Pediatr.* **14**, 140 (2014).
 245. Campo, J. Annual research review: functional somatic symptoms and associated anxiety and depression--developmental psychopathology in pediatric practice. *J. Child Psychol. Psychiatry.* **53**, 575–92 (2012).
 246. de Jong, L., de Roos, C. & van Rood, Y. Behandeling van medisch onverklaarde lichamelijke klachten bij jongeren: II. Behandeling. *Kind en Adolesc. Prakt.* **4**, 123–132 (2005).
 247. de Jong, L., de Roos, C. & van Rood, Y. Behandeling van medisch onverklaarde

lichamelijke klachten bij jongeren: I. De intake. *Kind en Adolesc. Prakt.* **4**, 75–89 (2005).